

15U Wall-Mount Single-Section Network Cabinet

T5861 Series



Product Overview

HezzraLink T5861 Series is a 15U, 19-inch single-section network cabinet designed for indoor wall-mount network and telecommunications installations. It provides an organized enclosure for rack-mounted equipment and structured cabling.

Rack Height	15U
Rack Standard	19"
Protection	IP20
Static Load	60 kg

Available 15U Sizes

Variant	Dimensions (W x D x H)	Model / Series
Deep Cabinet	600 x 600 x 770 mm	T5861-15U-60-60
Compact-Depth Cabinet	600 x 450 x 770 mm	T5861 Series

Key Features

- 19" standard installation frame for rack-mounted network equipment.
- Single-section assembled structure with removable side panels.
- Toughened glass front door with opening angle over 180 degrees.
- Top and bottom knock-out cable entry openings.
- Two top fan mounting positions; fans are not included.
- Side locks are optional.
- Wall-mount installation; adjustable feet and casters are optional.


Typical Applications

Structured cabling | Network switches | Routers | Patch panels | NVR/CCTV equipment | Fiber and telecom equipment

Technical Specifications

Specification	Details
Main Material	SPCC cold rolled steel
Thickness	Mounting profile 1.5 mm; mounting angle 1.2 mm
Surface Finish	Degreasing, pickling, phosphoric treatment, powder coated
Degree of Protection	IP20
Loading Capacity	Static loading: 60 kg
Color	Black RAL9004; Grey RAL7035
Front Door	5 mm toughened glass
Door Opening	Over 180 degrees
Side Panels	Removable; side locks optional
Cable Entry	Knock-out openings on top cover and bottom panel
Cooling Provision	2 top fan mounting positions; fans not included

Main Structure



Main Parts / Included Hardware

Part	Qty.	Material	Finish	Remark
Frame	2	SPCC cold rolled steel 1.2 mm	Powder coated	
Side panel	2	SPCC cold rolled steel 1.0 mm	Powder coated	
Back panel	1	SPCC cold rolled steel 1.0 mm	Powder coated	
Bottom panel	1	SPCC cold rolled steel 1.0 mm	Powder coated	
Top cover	1	SPCC cold rolled steel 1.0 mm	Powder coated	
Front glass door	1	5 mm toughened glass	-	
Mounting profile	4	SPCC cold rolled steel 1.5 mm	Powder coated	
Cable cover	2	SPCC cold rolled steel 1.0 mm	Powder coated	
Round lock	1	-	-	Side locks optional
M6 screw	20 sets	-	-	15U configuration
Allen wrench	1	-	-	

Note: Fans are not supplied with the cabinet. Optional accessories and final included items may vary by order configuration.

Product Details

